





TWO COMPONENTS - ONE COMPARTMENT

UNLIMITED POTLIFE

THE FUTURE OF 2K PAINTING



ONE COMPARTMENT CAN



ALWAYS READY TO USE




UNLIMITED POTLIFE



ORIGINAL 2K QUALITY

How does it work?






Easy to use

- 1. Shake

- 2. Spray 3. Clean 4. Use again














ORIGINAL 2K QUALITY












SCRATCH RESISTANT CHEMICAL RESISTANT

ABRASION RESISTANT

FLEXIBLE SURFACE

CORROSION RESISTANT



ALUMINIUM

GALVANIZED METAL

COPPER

CHROME

WOOD

STONE

CERAMICS

GLASS

MOST PLASTICS



2KTwo® Epoxy Primers

Maston 2K Two® Epoxy Primers can be applied directly on all kind of surfaces. Their bonding properties are excellent and they create an absolutely water and air tight film. Unlike 1-components, they bond also on galvanized steel and aluminium. They provide an excellent corrosion protection and adhesion bridge layer for putties or topcoats, which can be applied directly on the primer with or without sanding.

























INFORMATION VALID AT >20°C, RELATIVE AIR HUMIDITY 35% - 80%





2KTwo® EpoxyTop Coats

Maston 2K Two® Epoxy Top Coats are extremely hard and durable. They form a protective paint layer with excellent chemical-resistance and superior hardness, that is still flexible. The high solid formula makes up-to 2,5m² (400 ml) coverage possible on a primed surface.



























2KTwo® PU Clear Coats

Maston 2K Two® PU Clear Coat forms a crystal clear, high solid, extremely durable coating and has a chip and UV-resistant film. It is easy to apply and immediately forms a deep and shiny surface without the risk of dripping. It can be applied on solvent-borne and water-borne basecoats.

























INFORMATION VALID AT >20°C, RELATIVE AIR HUMIDITY 35% - 80%



2KTinting Concept

Maston 2K Tinting Concept is a unique way to retrieve customized colors. It is the quickest and easiest way to tint and pack customized colors in 2K spray cans. The concept supports RAL and NCS color standards and many more customized colors. The tint bases are available in matt, semi-gloss and high gloss. The tint bases contain 2K binder, hardener, solvents, additives and propellant.

For more information www.2kmix.com





2-COMPONENT SPRAY PAINT

Selvida GmbH Hagweg 33, D 97277 Neubrunn

Tel.: +49 (0)9307 - 989875

E-Mail: selvida@web.de Web: www.selvida.de



TWO COMPONENTS - ONE COMPARTMENT

UNLIMITED POTLIFE